

ART IN BRONZE

NICKEL SILVER

ALUMINUM



ART IN BRONZE Company, Inc.


1623 East 41st Street, Cleveland 3, Ohio  
Henderson 1-6200

THE Art In Bronze Company has been in business over 50 years, serving the requirements of architects, engineers, and general contractors. Today our ornamental work can be found in every part of the nation and is a tribute to our high standards of craftsmanship.



#### CUSTOM DESIGN

For years the Art In Bronze Company has been working with architects, designers and sculptors in order to produce esthetically correct castings. In order to produce these monumental works of art, we have at our command, the services of some of the leading artisans in the country. See page 8 for other custom metal work by Art In Bronze.




"Birds in Flight" cast by Art In Bronze is 8 feet tall and was sculptured by William M. McVey.

Below is a bronze portrait of Major Berry located at the Cleveland Hopkins Municipal Airport.




At the right is one of the many caducei we have made. It is over 7 feet high by 7 feet wide and is aluminum with old silver finish. Caducei are available in sizes from 2 to 7 feet.



At the left is a special plaque presented to the officers of the U.S.S. Manley.

## OFFICE MODERN



Office Modern is a new letter which has been especially designed in both Aluminum and Bronze for the contemporary office building. It can be applied to walls, or to steel, wood and glass surfaces. It is applied by our special mastic. These letters have a polished face and black anodized or oxidized sides and are also available in any color. We can also supply these letters drilled and tapped for installations where mastic is not advisable.



ABCDEFGHIJKLMN  
OPQRSTUVWXYZ

Size	Stroke	Depth	Width
1"	$\frac{3}{16}$ "	$\frac{7}{32}$ "	$1\frac{1}{16}$ "
1 $\frac{1}{2}$ "	$\frac{1}{8}$ "	$\frac{1}{2}$ "	$2\frac{7}{16}$ "
2"	$\frac{7}{16}$ "	$1\frac{3}{16}$ "	$1\frac{1}{8}$ "
3"	$\frac{9}{16}$ "	$\frac{1}{4}$ "	2"
4"	$\frac{5}{16}$ "	$1\frac{1}{16}$ "	$2\frac{3}{8}$ "

305



short form  
specifications

All names and numbers on doors as indicated on the drawings or in the door schedule, and on other wall areas where small free-standing letters are shown shall be composed of "Office Modern" aluminum (bronze) letters as manufactured by ART IN BRONZE COMPANY, INC., 1623 East 41st Street, Cleveland 3, Ohio.

Latters shall be \_\_\_\_\_ inches high and shall have (specify one of following: (1) polished face, (2) baked-on enamel finish in color as selected, (3) polished face with sides in baked-on enamel in color as selected).

ABCDEFGHIJKLMNOPQRSTUVWXYZ

broadway

height	stroke	depth	av. width
6"	1 1/2"- 1/2"	1/2"	5 1/2"
8"	1/2"- 2 1/4"	7/8"	7 1/4"
10"	2 3/4"- 1"	1 1/4"	9"
12"	3"- 1 3/4"	1 3/4"	11"

ST. EDWARD HIGH SCHOOL

ABCDEFGHIJKLMNOPQRSTUVWXYZ

modern block

height	stroke	depth	av. width
3"	1/2"	1/2"	2"
4"	2/3"	7/8"	3"
6"	3/4"	1"	4 1/2"
8"	3/4"	1"	6"
10"	1 1/4"	1 1/2"	7 1/2"
12"	1 1/4"	1 1/2"	10"
16"	2 1/2"	1 1/4"	12"
18"	3"	2"	15"
20"	4"	2 3/4"	17"

METROPOLITAN  
LIFE  
INSURANCE  
COMPANY

ABCDEFGHIJKLMNOPQRSTUVWXYZ

prismatic


height	stroke	depth	av. width
3"	1/8"- 1/4"	3/8"	2 1/2"
4"	5/32"- 3/16"	7/16"	3 1/2"
6"	7/16"- 1/2"	9/16"	5 1/2"
8"	1"- 5/8"	1/2"	7 1/2"
10"	1 1/4"- 5/8"	3/2"	9 1/2"
12"	1 1/2"- 3/4"	3/2"	11 1/2"
18"	2 1/2"- 1 1/4"	3/2"	17"
20"	2 7/8"- 1"	3/2"	18"



ABCDEFGHIJKLMNOPQRSTUVWXYZ

futura

height	stroke	depth	av. width
2"	7/8"	1/2"	2"
3"	3/4"	1/2"	2 1/2"
4"	5/6"	3/4"	3 1/4"
6"	1 1/4"	3/4"	5"
8"	1 1/4"	1 1/4"	6 1/2"
10"	2 1/4"	1 1/4"	8"
12"	2 1/2"	1 3/4"	9 3/4"
15"	2 1/2"	2"	12 1/2"
16"	3 1/4"	2 1/4"	13"
18"	3 1/4"	2 1/2"	15"
20"	5"	3"	17"




ABCDEFGHIJKLMNOPQRSTUVWXYZ&

Abbott

height	stroke	depth	av. width
6"	3/8"	1 1/8"	2"
8"	1/2"	1 1/8"	2 3/8"
10"	5/8"	1 1/8"	3 1/8"
12"	3/4"	2 1/4"	4"

AMHERST  
FIRE  
STATION

installation  
details




**FM-1**  
Flush Mounted  
on Brick or  
Masonry Wall.



**FM-2**  
Flush Mounted  
to Structural  
Glass.



**FM-3**  
Mounting for in-  
accessible wood  
backgrounds.



**BM-4**  
Mounting Metal  
Letters on a  
Metal Base.



**PM-8**  
Projected  
Mounting to  
Masonry.

# DETROIT-CLARENCE MEDICAL BUILDING

CUAHOGA COUNTY  
ADMINISTRATION BUILDING

THE  
AMERICAN BRASS  
COMPANY

CHASE BRASS & COPPER CO  
INCORPORATED

JOHNSON WESTON BLACKMORE CORY HURD  
25 CO

ABCDEFGHIJKLMN  
OPQRSTUVWXYZ

height	stroke	depth	av. width
2"	1/4"	1/4"	1 1/2"
3"	3/4"	1/2"	2"
4"	1/2"	1/2"	2 3/4"
6"	1/8"	1/2"	4"
8"	1 1/4"	1/2"	5"
10"	1 1/2"	7/8"	7"
12"	1 1/4"	1/2"	8"
15"	2"	3/4"	10"
18"	2 1/4"	1"	12"
20"	4"	2 3/4"	14"

kabel

ABCDEFGHIJKLMN  
OPQRSTUVWXYZ

height	stroke	depth	av. width
2"	3/16"	3/16"	1 1/2"
4"	1/4"	3/16"	3"
6"	3/16"	3/16"	4 1/2"
8"	3/8"	1"	6"

ribbon narrow

ABCDEFGHIJKLMN  
OPQRSTUVWXYZ

height	stroke	depth	av. width
2"	3/16"	3/16"	1 1/2"
4"	3/16"	1 1/4"	2 3/4"
6"	1/2"	1 1/4"	4"
8"	1/2"	2 1/2"	5"
10"	1/2"	2 1/2"	7"
12"	1"	2 1/4"	9"
16"	1"	2 1/2"	12"
18"	1"	3"	14"
20"	1"	4"	16"

ribbon wide

ABCDEFGHIJKLMN  
OPQRSTUVWXYZ

height	stroke	depth	av. width
4"	5/16"- 3/8"	3/8"	3 1/2"
6"	5/16"- 1/2"	3/8"	5 1/2"
8"	1"- 3/4"	1/2"	7 1/2"
10"	1 1/4"- 3/4"	3/8"	9 1/2"
12"	1 1/4"- 3/4"	3/8"	11 1/2"
18"	2 1/2"- 1 1/4"	3/8"	17"
20"	2 1/2"- 1"	3/8"	18"

oval face

ABCDEFGHIJKLMN  
OPQRSTUVWXYZ

height	stroke	depth	av. width
1"	3/16"	7/32"	1 1/2"
1 1/2"	1/8"	9/32"	2 1/2"
2"	7/16"	13/32"	1 1/4"
3"	9/16"	9/16"	2"
4"	7/8"	11/16"	2 5/8"
6"	7/8"	1"	4"
8"	1 1/2"	1 1/4"	5 1/4"

sans serif

**short form**  
The letters shall be cast as manufactured by ART IN BRONZE COMPANY, INC., 1623 East 41st Street, Cleveland 3, Ohio. Letters shall be ( ) inches high; \_\_\_\_\_ inch stroke; and \_\_\_\_\_ inches in depth; Style shall be \_\_\_\_\_.

Letters shall be cast of certified No. S-214 alloy aluminum ingots. The casting surface shall be free of all

imperfections. The letter faces are to be ground smooth and buffed to a mirror-like or satin finish and edges are to be filed and ground smooth. Alumilite finish No. 704 shall be applied by a licensed Alumilite finisher. Erection of letters to be done by \_\_\_\_\_ method (see fastening methods).

# ALUMINUM and BRONZE TABLETS

## IS YOUR NAME IMPORTANT?

If it is, our tablets are cast of pure ingot with over a half century of fine craftsmanship to our credit. They are hand chased and the backgrounds are hand mottled. Art in Bronze plaques are custom works of art and are not to be identified with tablets where price is the major factor.

The tablets pictured here are available in any size from 10 square inches to 3000 square inches. We have thousands of patterns and many hundreds of different borders available. Shown here are only a few of our creations in Bronze and Aluminum. We will be glad to show you additional photographs and submit sketches to visualize your ideas.

## standard pattern letters

(in inches)

### RIBBON

ABCDEF

sizes available— $\frac{1}{4}$ ,  $\frac{3}{8}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{3}{4}$ ,  $\frac{7}{8}$ ,  $1\frac{1}{2}$ ,  $2$ .

### FUTURA

ABCDEF

sizes available— $1\frac{1}{2}$ ,  $2$ .

### ROMAN

ABCDEF

sizes available— $\frac{1}{4}$ ,  $\frac{3}{8}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{3}{4}$ ,  $\frac{7}{8}$ ,  $1$ ,  $1\frac{1}{4}$ ,  $1\frac{1}{2}$ ,  $2$ ,  $3$ ,  $4$ ,  $5$ ,  $6$ .

### MODERN BLOCK

ABCDEF

sizes available— $\frac{3}{8}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{3}{4}$ ,  $1$ ,  $1\frac{1}{2}$ ,  $2$ .

### OVAL FACE

ABCDEF

sizes available— $\frac{1}{4}$ ,  $\frac{3}{16}$ ,  $\frac{3}{8}$ ,  $\frac{1}{2}$ ,  $\frac{5}{16}$ ,  $\frac{7}{16}$ ,  $1$ ,  $1\frac{1}{16}$ ,  $1\frac{1}{4}$ ,  $1\frac{1}{8}$ ,  $1\frac{1}{2}$ .

### CONDENSED BLOCK

ABCDEF


sizes available— $\frac{1}{8}$ ,  $\frac{1}{4}$ ,  $\frac{3}{8}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{3}{4}$ ,  $1$ ,  $1\frac{1}{4}$ ,  $1\frac{1}{2}$ ,  $2\frac{1}{2}$ .

### CLASSIC


ABCDEF

sizes available— $\frac{1}{4}$ ,  $\frac{3}{16}$ ,  $\frac{3}{8}$ ,  $\frac{1}{2}$ ,  $\frac{5}{16}$ ,  $\frac{7}{16}$ ,  $1$ ,  $1\frac{1}{4}$ ,  $1\frac{1}{2}$ ,  $1\frac{1}{8}$ ,  $2$ ,  $2\frac{1}{2}$ .


### installation details




Screws and rosettes used for installations on wood facing.



Concealed method of fastening threaded rods mounted on back of tablet set in grout.



Bronze or stainless steel screws set into lead anchors or expansion shields. Ornamental rosettes cover heads of screws.




Toggle bolts used for hollow tile and similar thin facing materials.



No. 400—20 x 30 ins., bevel border. Roman letters.



No. 406—18 x 24 ins., single line border. Modern Block letters.



No. 414—18 x 30 ins., single line border. Modern Block letters.



No. 416—18 x 24 ins., single line border. Modern Block letters.



No. 408—18 x 22 ins., portrait scroll border. Classic letters.




No. 420—24 in., rope border, Roman letters.



No. 424—48 in., flat band border, Special letters.



No. 430—18 x 24 ins., no border. Modern Block letters.




No. 432—20 x 30 ins., no border. Ribbon letters.



No. 450—48 x 48 ins., single line border. Special Roman letters.



No. 442—20 x 24 ins., double line border. Modern Block letters.



No. 440—30 x 36 ins., bevel border. Modern Block letters.



No. 434—24 x 36 ins., no border. Modern Block letters.



No. 436—30 x 30 ins., triple border. Roman letters.



No. 438—20 x 24 ins., no border. Modern Block letters.



No. 444—24 x 36 ins., flat band bevel border. Oval Face.



No. 448—18 x 24 ins., single line border. Modern Block letters.



No. 452—30 x 36 ins., flat band bevel border. Modern Block letters.



No. 446—Special.

short form  
specifications

Aluminum (bronze) tablet(s) shall be as manufactured by ART IN BRONZE COMPANY, INC., 1623 East 41st Street, Cleveland 3, Ohio. The tablet shall be approximately \_\_\_\_ by \_\_\_\_ inches and shall be as shown on the drawings (or shall contain approximately \_\_\_\_ letters in the inscription). Letters shall be \_\_\_\_ style and shall have a polished face. Background shall be pebble (leatherette or stippled)

texture and shall be allowed to oxidize. Border shall be as detailed and polished. Entire tablet shall have a spray-on lacquer finish.


Furnish full-scale shop drawing or "rub" for approval prior to casting.

Erection of tablet to be by \_\_\_\_\_ method (see installation method).

## other custom metal work

In addition to the preceding products, Art In Bronze will also fabricate metal work according to individual specifications. If estimates are desired at no obligation, send sketches or blueprints to our office. All such requests or orders will be handled in a professional manner and returned as soon as possible.

We have shown below several items which were fabricated according to architects' individual designs.



Our custom department can supply you with special items such as illustrated here.

ALLAN JONES  
PRESIDENT

KENNETH B. YOUNG, M.D.

250


design  
and engineering

Art In Bronze maintains for architects and engineers a professional consulting service which offers qualified technical advice at no cost. This service will assist in planning letters and signs for buildings, memorials, parkways, etc., and will also help in formulating ideas for commemorative plaques. Special mounting details for letters and plaques can be accommodated by our engineering and fabricating staffs.



Since 1917

ART IN BRONZE Company, Inc  
1623 East 41st Street, Cleveland 3, Ohio  
HENDerson 1-6200



Art In Bronze custom designed cast crosses are liturgically accurate. They are fabricated for ease in installation. They are available in aluminum and with special finishes in sizes from 4 to 12 feet.

Digitized by:



ASSOCIATION  
FOR  
PRESERVATION  
TECHNOLOGY,  
INTERNATIONAL  
[www.apti.org](http://www.apti.org)

BUILDING  
TECHNOLOGY  
HERITAGE  
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Carol J. Dyson, AIA